

F

F

E

E

D

D

C




C

B

B

A

A



SPECIFICATION

CURRENT RATING: 0.5 AMP MAX  
DIELECTRIC WITHSTANDING: 250V AC FOR ONE MINUTE  
CONTACT RESISTANCE: 40m OHMS MAX  
INSULATION RESISTANCE: 50M OHMS MIN AT DC 500V  
OPERATION TEMPERATURE: -40°C~+85°C

APPLICABLE CABLE  
AWG#36~42 COAXIAL CABLE  
AWG#32 DISCRETE WIRE  
INSULATION O.D:0.4MM MAX.


PART NUMBER:  
2LVCA - 4 0 \* - 1 2 0

SERIES NO. OF POS. TAPE REEL PACKAGE


CONTACT PLATED OPTION  
1: GOLD FLASH  
3: 3u" GOLD  
5: 5u" GOLD

MATERIALS

HOUSING: HI-TEMP. PLASTIC (UL 94V-0)  
SHELL: COPPER ALLOY, TIN PLATING  
TERMINAL: COPPER ALLOY, GOLD PLATED



**Cyberconn Technology Co., Ltd.**  
www.cyberconn.com.tw Tel+886-3-4951314

|                                                                                       |          |                                                              |          |             |       |  |
|---------------------------------------------------------------------------------------|----------|--------------------------------------------------------------|----------|-------------|-------|--|
| TOLERANCES                                                                            | TITLE    | LVDS CONNECTOR SERIES                                        |          |             |       |  |
| X.X ±0.3<br>X.XX ±0.2<br>X.XXX±0.1<br>Angle ±5°                                       |          | LVDS, 0.50mm PITCH, CABLE MOUNT, METAL SHIELD, FEMALE, 40PIN |          |             |       |  |
|  | DRAWN BY | CHECKED BY                                                   |          | APPROVED BY |       |  |
|                                                                                       | Janice   | Lion                                                         |          | Benson      |       |  |
| UNIT                                                                                  | SCALE    | SIZE                                                         | DRAW NO. | REV.        | Sheet |  |
| 10001                                                                                 | MM       | NONE                                                         | A4       | 2LVCA-001   | A 1/1 |  |

|      |             |           |
|------|-------------|-----------|
| A    | RELEASE     | 2011.7.27 |
| REV. | DESCRIPTION | DATE      |

F

F

E

E

D

D

C






C

B

B


A


A




MATERIALS  
SHELL: STAINLESS STEEL, NICKEL PLATING

|      |             |           |
|------|-------------|-----------|
| A    | RELEASE     | 2011.7.27 |
| REV. | DESCRIPTION | DATE      |

|                                                                                                                                                                                                                                    |          |                                            |            |             |             |       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------------------------|------------|-------------|-------------|-------|
| <div><b>Cyberconn Technology Co., Ltd.</b><br/><small>www.cyberconn.com.tw</small><span style="float: right;">Tel +886-3-4951314</span></div> |          |                                            |            |             |             |       |
| TOLERANCES                                                                                                                                                                                                                         | TITLE    | LVDS CONNECTOR SERIES                      |            |             |             |       |
| X.X ±0.3<br>X.XX ±0.2<br>X.XXX ±0.1<br>Angle ±5°                                                                                                                                                                                   |          | LVDS, 0.50mm PITCH, CABLE CONNECTOR SHIELD |            |             |             |       |
|                                                                                                                                               | DRAWN BY |                                            | CHECKED BY |             | APPROVED BY |       |
|                                                                                                                                                                                                                                    | Janice   |                                            | Lion       |             | Benson      |       |
| 10001                                                                                                                                                                                                                              | UNIT     | SCALE                                      | SIZE       | DRAW NO.    | REV.        | Sheet |
|                                                                                                                                                                                                                                    | MM       | NONE                                       | A4         | 2LVCA-001-1 | A           | 1/1   |



BOTTOM COVER




120pcs/TRAY


DETAIL "A"




DETAIL "A"  
SCLAE:3:1



TOP COVER




TOTAL 20 TRAY  
PE BAG




PASTEBOARD

CARTON




PASTEBOARD

ADHESIVE TAPE



LABEL



NOTE:

EXTERIOR CARTON: L=310. W=225.H=170

QUANTITY:

120PCS/INNER

2400 pcs/SHIPPING CARTON

WEIGHT:

N.W.:\*Kg/REEL,\*Kg/CARTON

G.W.:\*Kg/REEL,\*Kg/CARTON



**Cyberconn Technology Co., Ltd.**

www.cyberconn.com.tw


Tel:+886-3-4951314

| TOLERANCES                                                                            |  | TITLE         | LVDS CONNECTOR SERIES                       |             |             |               |             |  |
|---------------------------------------------------------------------------------------|--|---------------|---------------------------------------------|-------------|-------------|---------------|-------------|--|
| X.X ±0.3                                                                              |  |               | LVDS, 0.50mm PITCH, CABLE CONNECTOR PACKAGE |             |             |               |             |  |
| X.XX ±0.2                                                                             |  |               | DRAWN BY                                    |             | CHECKED BY  |               | APPROVED BY |  |
| X.XXX±0.1                                                                             |  |               |                                             |             |             |               |             |  |
| Angle ±5°                                                                             |  |               |                                             |             |             |               |             |  |
|  |  | <i>Janice</i> |                                             | <i>Lion</i> |             | <i>Benson</i> |             |  |
|                                                                                       |  | UNIT          | SCALE                                       | SIZE        | DRAW NO.    | REV.          | Sheet       |  |
| 10001                                                                                 |  | MM            | NONE                                        | A4          | 2LVCA-001-2 | A             | 1/1         |  |


|      |             |           |
|------|-------------|-----------|
| A    | RELEASE     | 2011.7.27 |
| REV. | DESCRIPTION | DATE      |

F  
E  
D  
C  
B  
A

F  
E  
D  
C  
B  
A




BOTTOM COVER




120pcs/TRAY


DETAIL "A"



TOP COVER



DETAIL "A"  
SCLAE:3:1




TAPE

10 TRAY

10 TRAY


TOTAL 20 TRAY




PASTEBOARD

CARTON


ADHESIVE TAPE



LABEL



PASTEBOARD



NOTE:

EXTERIOR CARTON: L=310. W=225.H=170

QUANTITY:

120PCS/INNER

2400 pcs/SHIPPING CARTON

WEIGHT:

N.W.:\*Kg/REEL,\*Kg/CARTON

G.W.:\*Kg/REEL,\*Kg/CARTON



**Cyberconn Technology Co., Ltd.**

www.cyberconn.com.tw

Tel:+886-3-4951314

| TOLERANCES                                                                            |  | TITLE    | LVDS CONNECTOR SERIES                              |            |             |             |       |  |
|---------------------------------------------------------------------------------------|--|----------|----------------------------------------------------|------------|-------------|-------------|-------|--|
| X.X ±0.3                                                                              |  |          | LVDS, 0.50mm PITCH, CABLE CONNECTOR SHIELD PACKAGE |            |             |             |       |  |
| X.XX ±0.2                                                                             |  |          |                                                    |            |             |             |       |  |
| X.XXX ±0.1                                                                            |  |          |                                                    |            |             |             |       |  |
| Angle ±5°                                                                             |  | DRAWN BY |                                                    | CHECKED BY |             | APPROVED BY |       |  |
|  |  | Janice   |                                                    | Lion       |             | Benson      |       |  |
|                                                                                       |  | UNIT     | SCALE                                              | SIZE       | DRAW NO.    | REV.        | Sheet |  |
| 10001                                                                                 |  | MM       | NONE                                               | A4         | 2LVCA-001-3 | A           | 1/1   |  |

|      |             |           |
|------|-------------|-----------|
| A    | RELEASE     | 2011.7.27 |
| REV. | DESCRIPTION | DATE      |